

MT-220

LEATHER CONDITIONER

SECTION 1 IDENTIFICATION

Product Code and Name: MT-220 LEATHER CONDITIONER

Company Name and Address: Masters Touch Global Inc, 20000 Plum Canyon Rd# 1721, Santa Clarita CA 91350

Business Phone: 661-510-1830

Emergency Telephone Number: 800-255-3924

SECTION 2 INGREDIENTS:

Chemical Name	% IN PRODUCT	PEL/OSHA	TLV-ACGIH	CAS NUMBER	CARCINOGEN
Glycerin	< 3	N/E	10 Mg/Cubic M	56-81-5	N/E
Polydimethylsiloxane-Biodegradable	3 to 7	N/E	N/E	63148-62-9	N/E
Deionized Water	80 to 88	N/A	N/A	7732-18-5	N/D
Blend	< 0.5	N/D	N/D	Scent FW	N/E
Surfactant Blend - Biodegradable	4 to 6	Non-Hazardous	Non-Hazardous	Proprietary	N/E
Dihydroxymethyl	< 1	N/E	N/E	6440-58-0	N/E

SECTION 3 HAZARDS IDENTIFICATION

No significant effects.

SECTION 4 EMERGENCY FIRST AID MEASURES:

No special first aid measures or protection needed.

Primary routes of entry: Skin, Eyes.

Eyes	Wash eyes immediately with large amounts of water	Prolonged exposure can cause irritation
Skin	Wash contacted areas with mild soap and water	Prolonged exposure can cause moderate irritation
Inhalation	Move person to fresh air at once. If breathing has stopped, get medical attention immediately	N/E
Ingestion	Do not induce vomiting. If person is conscious, give water. Get medical attention	Gastrointestinal irritation

SECTION 5 FIRE FIGHTING MEASURES

NFPA CODES: Health: 1 Flammability: 0 Reactivity: 0 Flash Point: None

Extinguishing Media: Not a fire hazard.

Hazardous Decomposition: None.

Special Fire Fighting Procedures: None.

Unusual Fire / Explosion Hazards: None.

■ SECTION 6 ACCIDENTAL RELEASE MEASURES

Small amounts do not need special measures. For large spills remove all sources of ignition. Ventilate area. Use Protective equipment (Gloves and goggles). Absorb with an inert absorbent material.

All used and unused product should be disposed of in conformance with local, state, and federal regulations.

■ SECTION 7 HANDLING AND STORAGE

Store materials away from heat and open flame. Never weld on or near containers either empty or full. Secure all chemicals out of the reach of children.

■ SECTION 8 EXPOSURE CONTROLS PERSONAL PROTECTION

Permissible Exposure Level: See Section 2 under PEL/OSHA.

■ SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point	>212 'F
Specific Gravity (Water=1)	1.05
Vapor Pressure (mmHg)	<1 (low volatile)
%Evaporation	90%
Vapor Density (Air=1)	N/E
Solubility	100%
Evaporation Rate	N/D
Appearance/Odor	White Cream, Leather Scent
PH	7-8

■ SECTION 10 STABILITY AND REACTIVITY

Stability: stable.

Incompatibility: Strong oxidizing agents or acid.

Hazardous Polymerization: will not occur.

■ SECTION 11 TOXICOLOGICAL INFORMATION

Not known. See section 8.

■ SECTION 12 ECOLOGICAL INFORMATION

Not determined.

■ SECTION 13 DISPOSAL CONSIDERATIONS

This product is not a hazardous waste. Therefore, no disposal method should be used. However, disposal should be in accordance with applicable regional, national and local laws and regulations.

■ SECTION 14 TRANSPORT INFORMATION

Department of Transportation regulations: USA DOT not regulated.

■ SECTION 15 REGULATORY INFORMATION

No ingredient regulated.

■ SECTION 16 OTHER INFORMATION

Protective Equipment: If PEL or TLV limits, listed in Section 2, are exceeded a NIOSH/OSHA approved air respirator is advised. These respirators should not be used for an extended period of time. A dust mask should be used when using a buffing machine. High speeds of buffing machines throw chemical dust into the air. Sufficient mechanical ventilation should be used to maintain exposure levels below PEL and TLV limits in Section 2. Chemical resistant gloves are always recommended as some chemicals may not only do damage to the skin but may also be a threat through absorption. Chemical resistant splash goggles are recommended when using liquid chemicals, or using a high speed buffing machine.

NA=Not Applicable N/E=Not Established ND=Not Determined NR=Not Regulated N/L=Not Listed VP=Vapor Pressure
IARC=International Agency for Research on Cancer

DISCLAIMER

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Masters Touch MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the XXPONET product is fir for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Masters Touch Global, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Masters Touch Global, product to determine whether it is fir for a particular purpose and suitable for user's method of use or application.

WARNING

Although the details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MT-220 is suitable for the intended application and site conditions. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

LEGAL NOTICE

- The contents of this Safety Data Sheet (SDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the SDS in force at the time of application.
 - The most up-to-date SDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
 - Any alteration to the wording, specifications, or requirements contained or derived from this SDS releases the manufacturer from any responsibility.
-

For more information visit
mastertouchglobal.com

