



MT-403

LAST TOUCH

LIQUID WAX
CAR BODY
EXTERIOR

■ SECTION 1 IDENTIFICATION

Product Code and Name: MT-403 Last Touch

Company Name and Address: Masters Touch Global Inc, 20000 Plum Canyon Rd# 1721, Santa Clarita CA 91350

Business Phone: 661-510-1830

Emergency Telephone Number: CHEMTREC 1-800-424-9300 (US and Canada)

■ SECTION 2 HAZARDS IDENTIFICATION

Classification of the Substance

- 1) ACUTE TOXICITY: ORAL Category 4,
- 2) EYE DAMAGE/IRRITATION Category 2B or Mixture:

GHS label elements: No Symbol

Signal Word: Warning

Hazard Statement:

- 1) H303 May be harmful if swallowed.
- 2) H320 Causes eye irritation

Precautionary Statements:

Prevention: Wash hands thoroughly after handling.

Response: IF SWALLOWED: Call a POISON CENTER or a doctor/physician if you feel unwell. Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Storage: Keep closed and away from children.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS:

Substance/Mixture:	Mixture
Product Description:	Cleaner
Chemical Name:	% IN PRODUCTCAS NUMBER
Isopropyl Alcohol-Biodegradable	67-63-0 10 to 25
Polydimethylsiloxane- Biodegradable	63148-62-9 < 10
Deionized Water	7732-18-5 45 to 50
Strawberry	Scent st < 5.2
Dihydroxymethyl	6440-58-0 < 1

SECTION 4 FIRST AID MEASURES:

Description of necessary first aid measures

Eye contact: Wash eyes immediately with large amounts of water.

Inhalation: Move person to fresh air at once. If breathing has stopped, get medical attention immediately.

Skin contact: No first aid should be needed, however if irritation occurs wash contacted areas with mild soap and water.

Ingestion: Do not induce vomiting. If person is conscious, give water. Get medical attention.

Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact: Prolonged exposure can cause irritation.

Inhalation: Fine mist may cause irritation of the nose and throat.

Skin contact: Prolonged exposure can cause irritation.

Ingestion: Gastrointestinal irritation.

Over-exposure signs/Symptoms

Eye contact: Adverse symptoms may include the following: Irritation

Inhalation: Adverse symptoms may include the following: No significant effect

Skin contact: Adverse symptoms may include the following: No significant effect

Ingestion: Adverse symptoms may include the following: Gastrointestinal irritation

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if copious quantities have

been ingested or inhaled

Special Hazard

Specific treatments: No specific treatment

Protection of first -aiders: No action should be taken involving any personal risk or without suitable training. Wash contaminated clothing thoroughly with water before removing it.

■ SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media

Suitable extinguishing media Not a fire hazard.

Unsuitable extinguishing media None known

Specific hazards arising from the chemical: In a fire or if heated, a pressure increase will occur, and the container may burst.

Hazardous thermal decomposition products

Special protective actions for: If there is a fire, promptly isolate the scene by removing all persons from the vicinity of the incident.

Special protective equipment Fire-fighters should wear appropriate protective equipment and self-contained breathing

for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Hazardous Decomposition: None

Special Fire Fighting Procedures: None

Unusual Fire / Explosion Hazards: None

■ SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding personal areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk-through spilled material. Shut off all ignition sources. No flares, smoking or flares in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable responders and unsuitable materials. See also the information in for "For non-emergency personnel".

Environmental Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the precautions relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, spill or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark proof tools and explosion-proof equipment. Dispose via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g., sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste contractor. Contaminated absorbent material may pose the same hazard as Use Gloves, Goggles, Boots and Breathing Mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in conformance with local, state, and federal regulations.

SECTION 7 HANDLING AND STORAGE

Precautions for safe Put on appropriate protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do handling: not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternate made from a compatible material, keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Do not reuse container. Wash thoroughly after use.

Conditions for safe storage:

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled Store materials tightly closed and away from sunlight, warm confined spaces, heat and open flame. Never weld on or near containers either empty or full. Secure all chemicals out of the reach of children.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Occupational exposure limits

Ingredient name	CAS #	PEL/OSHA	TLV-ACGIH
Isopropyl Alcohol-Biodegradable	67-63-0	400 ppm	500 ppm
Polydimethylsiloxane-Biodegradable	63148-62-9	Not Established	Not Established
Deionized Water	7732-18-5	Not Applicable	Not Applicable
Strawberry	Scent st	Not Established	Not Established
Dihydroxymethyl	6440-58-0	Not Established	Not Established

Appropriate engineering No special ventilation requirements. Good general ventilation should be sufficient to Controls control worker exposure to airborne contaminants

Individual protection measures

Hygiene Measures: Wash hands forearms and face thoroughly after handling chemical products

Eye/face protection: None

Skin protection: None

Respiratory protection: None

■ SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Specific Gravity: 1.02
Color: Pink	Vapor Pressure: >1 (volatile)
Odor: Strawberry	Volatiles: 100 %
PH: 7	Vapor Density: >1 Fall in air
Boiling Point: >212 'F	Solubility: 100%
Flash point: None	Evaporation Rate: >Water

Volatile Organic Compound (VOC) content for Consumer Products Applications Percent by weight: 3%

■ SECTION 10 STABILITY AND REACTIVITY

Reactivity: No specific test data related to reactivity available for this product or its ingredients

Chemical stability: The product is stable

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur

Conditions of instability: When exposed to high temperatures colors may fade and bottles may panel

Conditions to avoid: No specific data

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

■ SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity Not classified Irritation/corrosion

EYES	SKIN	INHALATION	INGESTION
Irritation	No significant effect	No significant effect	Gastrointestinal irritation

Sensitization There is no data available

Mutagenicity There is no data available

Carcinogenicity There is no data available

Reproductive toxicity There is no data available

Teratogenicity There is no data available

Specific target organ toxicity (single exposure) There is no data available

Specific target organ toxicity (repeated exposure) There is no data available

Aspiration hazard There is no data available

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available

Potential delayed effects Not available

Long term exposure

Potential immediate effects Not available

Potential delayed effects Not available

Potential Chronic health effects

General Not known significant effects or critical hazards

Carcinogenicity Not known significant effects or critical hazards

Mutagenicity Not known significant effects or critical hazards

Teragenicity Not known significant effects or critical hazards

Developmental effects Not known significant effects or critical hazards

Fertility effects Not known significant effects or critical hazards

■ SECTION 12 ECOLOGICAL INFORMATION

■ SECTION 13 DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the sewer but processes in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

■ SECTION 14 TRANSPORT INFORMATION

	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	None	None	None
Transport hazard class(es) Not classified as	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	No	No	No
Special precautions for user	Not available	Not available	Not available

Additional information

Special precautions for user Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

■ SECTION 15 REGULATORY INFORMATION

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed
SARA 302/304/311/312 extremely hazardous substances:	Not applicable
SARA 302/304 emergency planning and notification:	Not applicable
SARA 302/304/311/312 hazardous chemicals:	No products were found

WARNING

Although the details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MT-403 is suitable for the intended application and site conditions. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

LEGAL NOTICE

- The contents of this Safety Data Sheet (SDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the SDS in force at the time of application.
 - The most up-to-date SDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
 - Any alteration to the wording, specifications, or requirements contained or derived from this SDS releases the manufacturer from any responsibility.
-

For more information visit
masterstouchglobal.com

