

MT-95

ENGINE CLEANER SPRAY

■ SECTION 1 IDENTIFICATION

Product Code and Name: MT-95 ENGINE CLEANER SPRAY

Company Name and Address: The Master's Touch Global, 18565 Soledad Canyon Rd unit 294 Canyon Country, CA 91351 U.S.A.

Business Phone: 661-510-1830

Emergency Telephone Number: CHEMTREC 1-800-424-9300 (US and Canada)

■ SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification Of The Product

2.1.1 Classification According to Regulation (EC) No 1272/2008

Aerosol 1; H222

Aerosol 3; H229

Asp. Tox. 1; H304

Skin Irrit. 2; H315

Skin Sens. 1; H317

STOT SE 3, H336

Carc. 1B; H350

Repr. 2; H361f

STOT RE 1, H372

Aquatic Chronic 2; H411

2.2 Label Elements

2.2.1. Labeling According to Regulation (EC) No 1272/2008 [CLP₁/GHS₂]

Product Identifier

Hazard Component for Labelling

· Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), n-hexane,
Terpenes and Terpenoids, limonene fraction

Hazard Pictograms



Signal Word

· DANGER

Hazard Statements

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H350 May cause cancer
- H361f Suspected of damaging fertility.
- H372 Causes damage to organs
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe dust/fume/gas/mist/vapours/ spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/ spray.
- P264 Wash water thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P314 Get medical advice/attention if you feel unwell.
- P321 Specific treatment (see on this label).
- P331 Do NOT induce vomiting.
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor
- P302 + P352 IF ON SKIN: Wash with plenty of water
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P308+P313 IF exposed or concerned: Get medical advice/ attention.
- P332 + P313 If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362 Take off contaminated clothing.
- P391 Collect spillage.
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 o C/ 122 o F.
- P405 Store locked up.
- P501 Dispose of contents/container to

Supplemental Hazard Information (EU) Statements

No data available.

2.3 Additional Labeling

Not data available.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Description Of The Mixture:

Ingredient name	EC number	CAS number	% w/w	Hazard statement
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	919-446-0	-	0.1-1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Carc. 1B, H350 STOT RE 1, H372 Aquatic Chronic 2, H411
Trade Secrete	2xx-xx-x	xxx-x4x3	80-90	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361f STOT RE 1, H372 Aquatic Chronic 2, H411
Terpenes and Terpenoids, limonene fraction	266-034-5	65996-98-7	0.1-1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Propane	200-827-9	74-98-6	10-15	Flam. Gas 1, H220
Butane	203-448-7	106-97-8	25-35	Flam. Gas 1, H220
Carbon dioxide	204-696-9	124-38-9	50-70	Press. Gas (Comp.), H280

3.1.1 Notes

None

3.1.2 Additional information:

For the full text of the H-Statements mentioned in this Section, see Section 16.

■ SECTION 4 FIRST AID MEASURES:

4.1 Description of first aid measures

4.1.1 General information

In case of an emergency, Show this safety data sheet and seek medical advice. Remove exposed person to fresh air immediately.

4.1.2 Following inhalation

Remove effected person from source of contamination. Move effected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.

4.1.3 Following skin contact

Rinse water. Get medical attention if any discomfort continues.

4.1.4 Following eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Get medical advice/attention.

4.1.5 Following ingestion

Immediately rinse mouth with water. Stop if the affected person feel sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. Never give anything by the mouth to an unconscious patient. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

4.1.6 Protection of first aiders

First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically

■ SECTION 5 FIRE FIGHTING MEASURES

5.1 General Information and Flammable Properties:

Suitable extinguishing media: Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media: No information available

5.2 Special hazards arising from the product

Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.

5.3 Advice for fire-fighters:

Fire Fighting Instructions

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Protective Equipment For Fire-Fighting Personnel

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

■ SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

No action shall be taken without appropriate training or involving ant personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear appropriate personal protective equipment (See Section 8). Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Evacuate are. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

6.2 Environmental Precautions

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3 Methods and Material For Containment and Cleaning Up

6.3.1 For Cleaning Up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Approach the spillage from upwind. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Wipe up with an absorbent cloth and dispose of waste safely. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4 Reference to other sections

For personal protection, see Section 8. For disposal, see Section 13.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions For Safe Handling

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Suspected of damaging fertility. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Avoid discharge to the aquatic environment.

Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing Daily before leaving workplace.

7.2 Conditions For Safe Storage, Including Any Incompatibilities

Storage conditions

Store away from incompatible materials (see section 10). Store in accordance with local regulations. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store heat sources or expose to high temperatures Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

■ SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters

No information available

8.2 Occupational Exposure Limits

No information available

8.2.1 Appropriate Engineering Controls

8.2.2 Personal Protection Equipment

Eye/Face Protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a hisher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Skin Protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hand Protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Respiratory Protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140

Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area everyday. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance

<i>Form/Physical State:</i>	<i>Aerosol</i>
<i>Color:</i>	<i>Light Yellowish</i>
<i>Odour:</i>	<i>Limonene</i>
<i>pH:</i>	<i>5</i>
<i>Melting Point / Freezing Point (°C) 760 mmHg</i>	<i>No data available</i>
<i>Boiling point/range(°C):</i>	<i>No data available</i>
<i>Vapour pressure Pa(<1.00x10⁻¹⁰ mmHg)@ 20°C:</i>	<i>No data available</i>
<i>Density g/ml :</i>	<i>0.69</i>
<i>Flash Point °C:</i>	<i>No data available</i>
<i>Flame Point °C:</i>	<i>No data available</i>
<i>Vapor Density (Air=1):</i>	<i>No data available</i>
<i>Vaporization rate:</i>	<i>No data available</i>
<i>Viscosity:</i>	<i>No data available</i>
<i>Solidification point/range, °C:</i>	<i>No data available</i>

Solubility in water g/l @20 °C:

No data available

Explosive Property:

No data available

Oxidation Property:

No data available

9.2 Other Information

No data available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical Stability

No data available

10.3 Possibility of Hazardous Reactions

No data available

10.4 Conditions to Avoid

Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated.

10.5 Incompatible Materials

No data available

10.6 Hazardous Decomposition Products

No data available

■ SECTION 11 TOXICOLOGICAL INFORMATION

11.1 General Information

Acute Toxicity

Based on available data the classification criteria are not met.

Skin Corrosion/Irritation

Based on available data the classification criteria are met.

Eye Damage/Irritation

Based on available data the classification criteria are met.

Respiratory or Skin Sensitization

Based on available data the classification criteria are met.

Germ Cell Mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

This product is considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive Toxicity

Based on available data the classification criteria are met.

Specific Target Organ Toxicity- Single Exposure

Based on available data the classification criteria are met.

Specific Target Organ Toxicity- Repeated Exposure

Based on available data the classification criteria are met.

Aspiration Hazard

Based on available data the classification criteria are met.

■ SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Photo Degradation

No data available.

12.3 Biaccumulation Potential:

Biological environment (biota) accumulation potential: *No data available.*

Partition coefficient: *No information available*

12.4 Mobility:

No data available.

12.5 Results of PBT and vPvB Assesment:

No data available.

12.6 Effects on Waste Water Treatment Plants

No data available.

12.7 Persistence and Degradability

Decompositon potential of the products

No data available.

The half-life of degradation

No data available.

Potential degradation of product content in the evaluation wastewater treatment plants

12.7 Additional Information

No data available.





SECTION 13 DISPOSAL CONSIDERATIONS

13.1 General Information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

SECTION 14 TRANSPORT INFORMATION

	ADR ¹² /RID ¹³	ADNR ¹⁴	IMDG ¹⁵	ICAO ¹⁶ /IATA ¹⁷
TRANSPORTATION	Road	River	Marine	Airways
14.1. UN NUMBER	1950	1950	1950	1950
14.2. PROPER SHIPPING NAME	AEROSOLS			
SYMBOL				
14.3. PACKAGING GROUP	Not applicable			
CLASSIFICATION CODE	5F	-	-	-
LABELLING NO	2.1	2.1	2.1	2.1
HAZARD NO	-	-	-	-
TUNNEL RESTRICTION CODE	(D)	-	-	-
EmS	F-D,S-U	-	-	-
LQ	1 L			
14.5. MARINE POLLUTANT	-	-	-	-
14.6. SPECIAL PRECAUTIONS FOR THE USER	-			
<i>Road Transport Notes: This product is NOT regulated as a hazardous material under the regulation of IATA</i>				

■ SECTION 15 REGULATORY INFORMATION

15.1 Chemical Safety Assessment

15.1.1 Hazard

The Safety Data Sheet is compiled according to the current European requirements. Regulation (EC) No 1907/2006 (REACH)

CLP classification according to Annex VI of CLP (Regulation (EC) No 1272/2008)

15.2 International Regulations

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008/EC and 11014:2009.

■ SECTION 16 OTHER INFORMATION

16.7 Relevant H- and EUH-phrases(number and full text)

Hazard Statements

- H222 Extremely flammable aerosol.*
- H225 Highly flammable liquid and vapour.*
- H226 Flammable liquid and vapour.*
- H229 Pressurised container: May burst if heated.*
- H280 Contains gas under pressure; may explode if heated.*
- H304 May be fatal if swallowed and enters airways.*
- H315 Causes skin irritation.*
- H317 May cause an allergic skin reaction.*
- H319 Causes serious eye irritation.*
- H336 May cause drowsiness or dizziness.*
- H350 May cause cancer*
- H361f Suspected of damaging fertility.*
- H372 Causes damage to organs*

- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*
- *H411 Toxic to aquatic life with long lasting effects.*

Precautionary Statements

- *P101 If medical advice is needed, have product container or label at hand.*
- *P102 Keep out of reach of children.*
- *P103 Read carefully and follow all instructions.*
- *P201 Obtain special instructions before use.*
- *P202 Do not handle until all safety precautions have been read and understood.*
- *P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.*
- *P211 Do not spray on an open flame or other ignition source.*
- *P233 Keep container tightly closed.*
- *P240 Ground and bond container and receiving equipment.*
- *P241 Use explosion-proof [electrical/ventilating/lighting] equipment.*
- *P242 Use only non-sparking tools.*
- *P243 Take precautionary measures against static discharge.*
- *P251 Do not pierce or burn, even after use.*
- *P260 Do not breathe dust/fume/gas/mist/vapours/ spray.*
- *P261 Avoid breathing dust/fume/gas/mist/vapours/ spray.*
- *P264 Wash water thoroughly after handling.*
- *P270 Do not eat, drink or smoke when using this product.*
- *P271 Use only outdoors or in a well-ventilated area.*
- *P272 Contaminated work clothing should not be allowed out of the workplace.*
- *P273 Avoid release to the environment.*
- *P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection*
- *P312 Call a POISON CENTER/doctor if you feel unwell.*
- *P314 Get medical advice/attention if you feel unwell.*

- P321 *Specific treatment (see on this label).*
- P331 *Do NOT induce vomiting.*
- P301 + P310 *IF SWALLOWED: Immediately call a POISON CENTER/doctor*
- P302 + P352 *IF ON SKIN: Wash with plenty of water*
- P303 + P361 + P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
- P304 + P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
- P305 + P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P308+P313 *IF exposed or concerned: Get medical advice/ attention.*
- P332 + P313 *If skin irritation occurs: Get medical advice/attention.*
- P333 + P313 *If skin irritation or rash occurs: Get medical advice/attention.*
- P337 + P313 *If eye irritation persists: Get medical advice/ attention.*
- P370 + P378 *In case of fire: Use to extinguish.*
- P362 *Take off contaminated clothing.*
- P391 *Collect spillage.*
- P403 + P233 *Store in a well-ventilated place. Keep container tightly closed.*
- P403 + P235 *Store in a well-ventilated place. Keep cool.*
- P410 + P412 *Protect from sunlight. Do no expose to temperatures exceeding 50 o C/ 122 o F.*
- P405 *Store locked up.*
- P501 *Dispose of contents/container to*

16.8 Legal Disclaimer

- *The purpose of the above information is to describe the products only in terms of health and safety requirements.*
- *The information given should not, therefore, be construed as guaranteeing specific properties or as specification.*
- *Customers should satisfy themselves as to the suitability and completeness of Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use.*

- *The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.*
- *The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.*
- *The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.*

¹ SDS: Safety Data Sheet

² CLP: Classification, Labelling and Packaging of Substances and Mixtures

³ GHS: Global Harmonised System

⁴ NIOSH: The National Institute for Occupational Safety and Health

⁵ CEN: Comité Européen de Normalisation

⁶ NTP: National Toxicology Program

⁷ IARC: The International Agency for Research on Cancer

⁸ OSHA : Occupational Safety and Health Association

⁹ EWC : European Waste Katalog

¹⁰ ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

¹¹ RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

¹² ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

¹³ IMDG: International Maritime Code for Dangerous Goods

¹⁴ ICAO: International Civil Aviation Organization

¹⁵ IATA: International Air Transport Association

¹⁶ TWA: Time Weighted Average

¹⁷ PEL: Permissible Exposure Limit

¹⁸ PNEC: Predicted No Effect Concentration

¹⁹ OEL: Occupational exposure limit

WARNING

Although the details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MT-95 is suitable for the intended application and site conditions. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

■ LEGAL NOTICE

- The contents of this Safety Data Sheet (SDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the SDS in force at the time of application.
 - The most up-to-date SDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
 - Any alteration to the wording, specifications, or requirements contained or derived from this SDS releases the manufacturer from any responsibility.
-

For more information visit
masterstouchglobal.com

