

**MT-440**

# RAPID CERAMIC SPRAY

## ■ DESCRIPTION

Rapid Ceramic Spray is a cutting-edge, high-performance spray-on ceramic coating engineered to deliver instant gloss, slickness, and hydrophobic protection to your vehicle's surface. Infused with advanced SiO<sub>2</sub> (silicon dioxide) nano-technology, this easy-to-use formula bonds to paint creating a strong, water-repellent layer in minutes.

Perfect for both enthusiasts and professionals, Rapid Ceramic Spray offers the look and feel of a full ceramic coating with the speed and simplicity of a quick detailer.

In other side, its used as maintenance solution for car body ceramic.

---

## ■ KEY FEATURES

- Instant Hydrophobic Effect: Repels water, dirt, and contaminants on contact.
  - Gloss Booster: Instantly enhances paint depth and shine
  - Fast Application: Spray-on, wipe-off – no curing time or special tools needed
  - UV Protection: Shields paint from sun damage and oxidation
  - Durability: Lasts up to 3–6 months per application
  - Quick ceramic maintenance
  - Boosting existing coatings or waxes
  - Fast protection after washes
  - Enhancing showroom shine before events or deliveries
-

## ■ APPLICATION INSTRUCTIONS

- Clean and dry the surface thoroughly.
  - Spray on microfiber cloth.
  - Wipe on car body gently.
- 

## ■ PRECAUTIONS

- Extremely flammable: Keep away from heat, sparks, flames, and other sources of ignition.
  - Causes eye and skin irritation—avoid direct contact.
  - May be harmful if swallowed or inhaled, causing respiratory irritation.
-

## WARNING

Although the technical details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MT-440 is suitable for the intended application and site conditions. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

## LEGAL NOTICE

- The contents of this Technical Data Sheet (TDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the TDS in force at the time of application.
  - The most up-to-date TDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
  - Any alteration to the wording, specifications, or requirements contained or derived from this TDS releases the manufacturer from any responsibility.
- 



For more information visit  
[masterstouchglobal.com](https://www.masterstouchglobal.com)