

MP-1

METAL POLISH

INTERIOR/ EXTERIOR

DESCRIPTION

A high-performance, easy-to-use metal polish designed to remove tarnish, oxidation, and minor scratches from automotive metal surfaces, leaving a brilliant, mirror-like finish.

KEY FEATURES

- Advanced formula: Blends cerium oxide and aluminum oxide for exceptional cutting power and gloss retention.
- Easy to use: Simple application and buffing process, with minimal dusting and mess.
- Safe for all metal surfaces: Can be used on chrome, aluminum, stainless steel, and other metal surfaces.
- Non-abrasive and non-corrosive: Will not scratch or damage metal surfaces.

TECHNICAL SPECIFICATIONS

- Appearance: Blue paste
- Viscosity: 10,000-20,000 cps
- PH: 7-8
- Solids content: 20-25%

■ PHYSICAL PROPERTIES

- Density: 1.2-1.4 g/cm³
 - Flash point: >200°F (93°C)
 - Freezing point: <32°F (0°C)
-

■ PERFORMANCE CHARACTERISTICS

- Cutting power: Excellent
 - Gloss retention: 90-95% (after 30 days)
 - Durability: Up to 6 months (depending on environmental conditions)
 - Metal compatibility: Safe for use on all metal surfaces
-

■ APPLICATION INSTRUCTIONS

- Apply a small amount of polish to a clean, soft cloth.
 - Rub the polish into the metal surface in a circular motion.
 - Buff the area with a clean, soft cloth to achieve a high-gloss finish.
-

■ PRECAUTIONS

- Avoid using in direct sunlight or high temperatures.
 - Wear protective gloves and eyewear.
 - Use in well-ventilated areas.
-

■ STORAGE AND SHELF LIFE

- Store in a cool, dry place.
 - Shelf life: 2 years from date of manufacture.
-

WARNING

Although the technical details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MP-1 is suitable for the intended application and site conditions. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

■ LEGAL NOTICE

- The contents of this Technical Data Sheet (TDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the TDS in force at the time of application.
 - The most up-to-date TDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
 - Any alteration to the wording, specifications, or requirements contained or derived from this TDS releases the manufacturer from any responsibility.
-



For more information visit
[masterstouchglobal.com](https://www.masterstouchglobal.com)