

PX-2

Hologram Free

EXTERIOR
BODY-SECOND STEP



DESCRIPTION

A premium, high-performance polish compound designed to remove minor imperfections, scratches, and oxidation from automotive paint surfaces, while leaving a brilliant, high-gloss finish.

KEY FEATURES

- Advanced formula: water-based polymer technology for exceptional cutting power and gloss retention.
- Easy to use: Simple application and buffing process, with minimal dusting and mess.
- Safe for all paint finishes: Can be used on clear coat, single stage, and ceramic-coated paint surfaces.
- Body shop and detailer approved: Meets the high standards of professional detailers and body detailers.

TECHNICAL SPECIFICATIONS

- Appearance: White paste
- Viscosity: 15,000-25,000 cps
- PH: 8-10
- Solids content: 20-25%

■ PHYSICAL PROPERTIES

- Density: 1.3-1.5 g/cm³
 - Flash point: >200°F (93°C)
 - Freezing point: <32°F (0°C)
-

■ PERFORMANCE CHARACTERISTICS

- Cutting power: 6-8 (on a scale of 1-10)
 - Gloss retention: 95-98% (after 24 hours)
 - Adhesion: Excellent adhesion to paint surfaces
-

■ APPLICATION INSTRUCTIONS

- Apply a small amount of polish compound to a clean buffing pad.
 - Set the buffing machine speed at 1000 Rpm.
 - Buff the area with a clean, soft cloth to achieve a high-gloss finish.
-

■ PRECAUTIONS

- Avoid using in direct sunlight or high temperatures.
- Wear protective gloves and eyewear.
- Use in well-ventilated areas.

■ STORAGE AND SHELF LIFE

- Store in a cool, dry place.
 - Shelf life: 2 years from date of manufacture.
-

■ REGULATORY COMPLIANCE

- Compliant with EPA and CARB regulations.
 - Meets or exceeds ASTM and SAE standards.
-

WARNING

Although the technical details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MT-10 is suitable for the intended application and site conditions.

In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

■ LEGAL NOTICE

- The contents of this Technical Data Sheet (TDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the TDS in force at the time of application.
 - The most up-to-date TDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
 - Any alteration to the wording, specifications, or requirements contained or derived from this TDS releases the manufacturer from any responsibility.
-



For more information visit
masterstouchglobal.com