

**MT-101**

# RUST CONVERTOR

## ■ DESCRIPTION

MT-101 is a rust converter primer specifically designed for use on steel surfaces, particularly in environments where traditional cleaning methods like sandblasting may be challenging. This product works by converting rust into a stable, non-reactive compound, allowing for better adhesion of subsequent coatings. It provides a protective layer that helps prevent further rust formation, extending the lifespan of metal surfaces. The product is ideal for situations where surface preparation is limited or where removing existing rust is not feasible. Its effectiveness in converting rust and providing a sound surface for paint or coatings makes it valuable for a variety of industrial and maintenance applications.

---

## ■ PRODUCT HIGHLIGHTS

- (ASTM B 117) on pre-rusted steel parts.
  - VOC compliant and AQMD Compliant.
  - Works even in the presence of excess salt contamination.
  - Promotes top-coating adhesion.
  - Non-corrosive and will not damage metal, plastic surfaces, substrate or welds.
  - Water based formulation.
  - Does not contain caustics or petroleum distillates.
-

## ■ APPLICATION

- Wash the surface with degreaser and make sure that surface is clean.
  - Apply by spray (Recommended) to rusted surface.
  - Wait until the reaction is done (the color of rust will turn to purple first then to grey when its activated).
  - Don't wash the surface for 24 hours.
-

**WARNING**

Although the technical details and recommendations contained in this product data sheet are based on the best of our knowledge and experience, all the above information must be considered as indicative only.

Users must ensure, through prior testing, that MT-101 is suitable for the intended application and site conditions.

In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

**LEGAL NOTICE**

- The contents of this Technical Data Sheet (TDS) may be copied into another project-related document; however, the resulting document shall not supplement or replace the requirements of the TDS in force at the time of application.
  - The most up-to-date TDS can be requested from Masters Touch Global Inc. or downloaded from the official website.
  - Any alteration to the wording, specifications, or requirements contained or derived from this TDS releases the manufacturer from any responsibility.
- 



For more information visit  
[masterstouchglobal.com](http://masterstouchglobal.com)